

SAFETY DATA SHEET

SLIP RESISTANT CRUSHED GLASS

September 2020

Non-Hazardous according to criteria of Safe Work Australia

1 PRODUCT & COMPANY UNDERTAKING IDENTIFICATION

Product Name: SLIP RESISTANT CRUSHED GLASS

Major Recommended Use: Additive to improve slip resistance of concrete coatings.

Company: Australian Slate-Crete Supplies Pty Ltd

ABN: 35 051 984 993

Address: 12 Yale Drive, Epping, Victoria, 3076

Telephone Number: 61 (03) 9408 7722 Emergency/AH telephone: 0410 542 100

Web site: www.australianslatecrete.com.au

2 HAZARDS IDENTIFICATION

GHS Classification: NON-HAZARDOUS SUBSTANCE, NON-DANGEROUS GOODS

Signal word: Not applicable

Hazard statements: None applicable

Precautionary statements:

Prevention P233 Keep container tightly closed.

P234 Keep only in original container.

P261 Avoid breathing dust.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response P301+330+331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P302+335+352 IF ON SKIN: Brush off loose particles from skin. Wash with plenty of water. P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

Storage P404 Store in a closed container.

Disposal P501 Dispose of contents/ container as general waste.

Hazard Codes: Not applicable

Risk Statements: None applicable

Safety Statements: S24/25 Avoid contact with skin and eyes

S26 In case of contact with eyes, rinse immediately with plenty of water and seek

medical advice

S39 Wear eye/face protection.

S62 If swallowed, do not induce vomiting; seek medical advice immediately and

show this SDS, container or label.

Poisons Schedule: Not scheduled

ADG CLASS: Not classified as a Dangerous Good according to the Australian Code for the Transport of

Dangerous Goods by Road and Rail. Not regulated for transport of Dangerous Goods: UN.

IATA, IMDG

Signs and Symptoms of Exposure (Acute effects): as supplied in powder form or in use as a liquid solution

Swallowed: Non-toxic and non-irritant under normal use and handling conditions.

Eye: May cause irritation due to its particulate nature.

Inhaled: Exposure to dust at room temperature is an unlikely route of exposure due to its low dusting

nature.

Chronic: Prolonged or repeated skin contact is unlikely to result in irritation, dermatitis, or sensitization.

Emergency Overview: Based on our experience and the information available for this type of material, no adverse

health effects are expected if handled as recommended with suitable precautions for

designated uses. The product has not been tested.

Product: SLIP RESISTANT CRUSHED GLASS Page 2 of 5 Date of Issue: September 2020

3 COMPOSITION/INFORMATION ON INGREDIENTS

Chemical NameCAS NumberProportionClassificationNon-hazardous ingredients below reportable concentrations100%Not hazardous

Description: Non-hazardous ingredients make up 100% of this product.

4 FIRST AID MEASURES

First Aid Facilities: Eyewash fountains and safety showers should be available for emergency use.

Swallowed: Do NOT induce vomiting. If vomiting occurs, keep head lower than hips to help prevent

aspiration. Seek medical attention if symptoms develop.

Eye: Wash eyes immediately with large amounts of water or normal saline, occasionally lifting

upper and lower lids, until no evidence of chemical remains. Seek medical attention if

irritation develops.

Skin: Remove any contaminated clothing and product. Wash skin thoroughly with mild soap and

water. Seek medical advice if ill effect or irritation develops.

Inhaled: Not considered applicable, however, if any effects are perceived, move patient to fresh air

Advice to Doctor: Treat symptomatically. If in doubt, consult Poisons Information Centre on 13 11 26.

5 FIRE FIGHTING MEASURES

NON-FLAMMABLE, NON-COMBUSTIBLE substance

Suitable Extinguishing Media: Presents no known fire or explosive hazards and forms no known hazardous

decomposition products. Treat fire for materials actually involved in the fire.

Special Exposure Hazards (fire fighting): No special requirements specific to this product. Treat fire for materials

actually involved in the fire.

Special Fire Fighting Procedures: No special requirements specific to this product.

6 ACCIDENTAL RELEASE MEASURES

Personal precautions: Wear protective clothing, boots, gloves, and eye protection. (refer Section 8.2)

Methods for Cleaning Up: Dampen down to prevent spread by wind. Shovel or sweep up spilled material

and dispose of or recycle. If recovery is not feasible, admix with dry soil, sand or non-reactive absorbent and place in an appropriate chemical waste container. Spilled powder on surfaces and floors may create slip hazards and should be

swept up immediately. Flush area with water spray.

Reference to other sections See Also Section 8.

7 HANDLING & STORAGE

Precautions for safe handling No special measures necessary provided product is used correctly.

Avoid contact with eyes and skin. Avoid generation of dust. Provide adequate ventilation. Emergency shower and eye wash facilities should be readily available.

See also Section 8

Conditions for safe storage, including incompatibilities

Keep only in the original container in a cool, dry, well ventilated place.

Suitable materials for containers: High density polyethylene (HDPE), Low density

polyethylene (LDPE)

Avoid contact with strong acids, strong bases, strong oxidizing agents, strong

reducing agents. See also Section 10.

Product: SLIP RESISTANT CRUSHED GLASS Page 3 of 5 Date of Issue: September 2020

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

SUBSTANCE	Occupational Exposure Limits	
All components	No Occupational Exposure Limits assigned.	

Exposure controlsWear protective equipment to comply with good occupational hygiene practice.

Do not eat, drink or smoke at the work place.

Appropriate engineering

Controls

Conventional airflow is generally considered to be acceptable. Engineering methods to prevent or control exposure include process or personnel enclosure, mechanical ventilation (dilution and local exhaust), and control of process conditions.

Personal Protection:



Respiratory protection Respiratory protection not normally required. If engineering controls are not

effective in controlling airborne exposure, then an approved respirator or dust mask should be used. Refer Australian Standards AS/NZS 1715 and 1716 for

more information.

Eye/face protection Safety glasses with top and side shields, goggles or face shield. Refer Australian

Standards AS 1336 and AS/NZS 1337 for more information.

Skin protection No special protective work wear is required.

Environmental Exposure

Controls

This product is non-reactive in the environment. There is a high

probability that the product is not acutely harmful to aquatic organisms.

9 PHYSICAL & CHEMICAL PROPERTIES

Appearance: Glassy powder

Smell: No characteristic odour

pH (10% aqueous solution): 7-9

Boiling Point (@760mm Hg):

Melting Point:

≈ 1040°C

Flashpoint (°C):

Not applicable

Non Flammable

Auto-Ignition Temperature:

Non Flammable

Explosive Properties: Airborne dust is not an explosion hazard

Explosive Limits: Not applicable Oxidizing Properties: Not applicable Vapour Pressure (mm Hg): Not applicable Vapour Density: Not applicable Solubility in Water: Insoluble Solubility in Ethanol: Insoluble Solubility in n-Octanol: Insoluble Solubility in NaOH caustic solutions Soluble Specific Gravity: 2.5 - 2.6

Per cent Volatiles: < 3% water Volatile Organic Compounds: Nil

10 STABILITY & REACTIVITY

Bulk Density:

Conditions to Avoid: No data.

Incompatibility (materials to avoid): No known incompatibilities.

Hazardous Decomposition Products: No hazardous decomposition products can form.

1.0 - 1.2

Product: SLIP RESISTANT CRUSHED GLASS Page 4 of 5 Date of Issue: September 2020

Hazardous Transformation Products: Will not occur.

11 TOXICOLOGICAL INFORMATION

Acute toxicity

Acute Oral Toxicity

Based on available data, the classification of toxicity criteria are not met.

Acute Inhalation Toxicity

Based on available data, the classification of toxicity criteria are not met.

Acute Dermal Toxicity

Based on available data, the classification of toxicity criteria are not met.

Sensitization Based on available data, not sensitizing.

Mutagenicity Based on available data, no evidence of genotoxicity.

Carcinogenicity No structural alerts. IARC, NTP, OSHA, ACGIH do not list this product as known or

suspected carcinogen.

Reproductive toxicityBased on available data, no evidence of reproductive toxicity or developmental toxicity.

STOT – single exposure Not classified.

STOT – repeated exposure Not classified.

Aspiration hazard Not classified.

Other information None

12 ECOLOGICAL INFORMATION

Ecotoxicity: No data available. There is a high probability that the product is not acutely harmful to

aquatic organisms.

Environmental Fate: No data available.

Persistence and degradability The product has not been tested. Based on the properties of the individual

components, product is not expected to be acutely harmful to aquatic organisms.

Bioaccumulation potential No data available. Discharge into the environment must be avoided.

Additional information Other ecotoxicological advice: Do not discharge product into the environment without

control. The product has not been tested. The statements on ecotoxicology have

been derived from the properties of the individual components.

13 DISPOSAL CONSIDERATIONS

Precautions: Refer to Section 7 before handling the product or containers.

Waste disposal: Recover or recycle if possible. Otherwise: dispose of this material and its container to

hazardous or special waste collection point. Disposal should be in accordance with

local, state or national legislation.

Product disposal: Recover or recycle if possible. Otherwise: dispose of this material and its container to

hazardous or special waste collection point. Disposal should be in accordance with

local, state or national legislation.

Container disposal: Empty and wash container thoroughly. Container (HDPE) may be recycled.

14 TRANSPORT INFORMATION

Not classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land".

Mode	Regulations	Class	Packing Group	Notes
-	UN	None allocated	Not applicable	
Sea	IMDG	None allocated	Not applicable	This material is not classified as dangerous under IMDG regulations
Road/Rail	ADG Code	None allocated	Not applicable	This material is not classified as dangerous according to the Australian Dangerous Goods Code
Air	IATA/ICAO	None allocated	Not applicable	This material is not classified as dangerous under IATA regulations

Product: SLIP RESISTANT CRUSHED GLASS Page 5 of 5 Date of Issue: September 2020

15 REGULATORY INFORMATION

GHS Classification: NON-HAZARDOUS SUBSTANCE, NON-DANGEROUS GOODS

Full text of GHS Statements referred to under sections 2 and 3.

Hazard statements: None applicable

Precautionary statements:

Prevention P233 Keep container tightly closed.

P234 Keep only in original container.

P261 Avoid breathing dust.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response P301+330+331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P302+335+352 IF ON SKIN: Brush off loose particles from skin. Wash with plenty of water. P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

Storage P404 Store in a closed container.

Disposal P501 Dispose of contents/ container as general waste.

EEC Council Directives relating to the classification, packaging and labelling of dangerous substances and preparations Risk (R) and Safety (S) phrases:

Risk Statements: None applicable

Safety Statements: S24/25 Avoid contact with skin and eyes

S26 In case of contact with eyes, rinse immediately with plenty of water and seek

medical advice

S39 Wear eye/face protection.

S62 If swallowed, do not induce vomiting; seek medical advice immediately and

show this SDS, container or label.

16 OTHER INFORMATION

Uses and restrictions: Powder for use on Concrete Sealers to improve slip resistance.

SDS distribution: The information in this document should be made available to all who may handle the product.

Reference: The content and format of this safety data sheet is in accordance with the 3rd Revised

Edition of the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia's Code of Practice for the Preparation of Safety Data Sheets

for Hazardous Chemicals (2011)

Issue Date: 8th September, 2020

Reason for Issue: Supersedes previous issue dated 2nd January, 2017

Updated manufacturer and contact details

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the material are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising from or in any way connected with the handling, storage, use or disposal of the material