

# SAFETY DATA SHEET SPRAY-ON-CRETE COLOUR OXIDE

Issued: September 2020

Non-Hazardous according to criteria of Safe Work Australia

1 PRODUCT & COMPANY UNDERTAKING IDENTIFICATION					
Product Name:		ON-CRETE COLOUR OXIDE			
Major Recommended L		g component for Spray-On-Crete system.			
Company:		n Slate-Crete Supplies Pty Ltd			
ABN:	35 051 98				
Address:		Drive, Epping, Victoria, 3076			
Telephone Number:		61 (03) 9408 7722			
Emergency/AH telepho					
Web site:	www.aus	tralianslatecrete.com.au			
2 HAZARDS IDENTIFICATION					
GHS Classification:		OUS SUBSTANCE, NON-DANGEROUS GOODS			
Signal word:	Not applicable				
Hazard statements:	None applicable	9			
Precautionary stateme					
Prevention	P261	Avoid breathing dust.			
	P262	Do not get in eyes, on skin, or on clothing.			
	P264	Wash contacted areas thoroughly after handling.			
	P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.			
Deenerse					
Response		IF SWALLOWED: rinse mouth. Do NOT induce vomiting.			
		IF ON SKIN: Brush off loose particles from skin. Wash with plenty of water.			
	P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact			
Storago	D402+404	lenses, if present and easy to do. Continue rinsing.			
Storage	P402+404	Store in a dry place. Store in a closed container.			
Disposal P501		Dispose of contents/ container as general waste.			
Hazard Codes:	Not applicable				
<b>Risk Statements:</b>	None applicable				
Safety Statements:	S24/25	Avoid contact with skin and eyes			
Curciy Clatements.	S26	In case of contact with eyes, rinse immediately with plenty of water and seek			
	020	medical advice			
	S39	Wear eye/face protection.			
	S62	If swallowed, do not induce vomiting; seek medical advice immediately and			
	002	show this SDS, container or label.			
Poisons Schedule:	Not scheduled				
ADG CLASS:		s a Dangerous Good according to the Australian Code for the Transport of			
	Dangerous Goo	angerous Goods by Road and Rail. Not regulated for transport of Dangerous Goods: UN,			
	IATĂ, IMDG				
	s of Exposure (Acute effects): as supplied in powder form or in use as a liquid solution				
Swallowed:	Non-toxic and non-irritant under normal use and handling conditions.				
Eye:	May cause irritation due to its particulate nature.				
Inhaled:	Exposure to dust at room temperature is an unlikely route of exposure due to its low dusting nature.				
Chronic <i>:</i>	Prolonged or repeated skin contact is unlikely to result in irritation, dermatitis, or sensitization.				
Emergency Overview: Based on our experience and the information available for this type of material, no adve		xperience and the information available for this type of material, no adverse			
	health effects are expected if handled as recommended with suitable precautions for designated uses. The product has not been tested.				

3 COMPOSITION/INFORM	ATION ON INGREDIENTS			
Chemical Name	CAS Number	Proportion	Classification	
Non-hazardous ingredients be	elow reportable concentrations	100%	Not hazardous	
Iron oxide ( $Fe_2O_3$ )	1309-37-1			
Iron oxide (Fe <sub>3</sub> O <sub>4</sub> )	1317-61-9			
Iron hydroxide oxide (FeO	<sub>2</sub> H) 20344-49-4			
Dichromium Trioxide (Cr <sub>2</sub> C	D₃) 1308-38-9			
Titanium dioxide	13463-67-7			
Description: The r	ange of colours may contain any	of the ingredients li	sted above, alone or blended.	
4 FIRST AID MEASURES				
First Aid Facilities: Eyew	ash fountains and safety shower	rs should be availab	le for emergency use.	
	OT induce vomiting. If vomiting a ation. Seek medical attention if s		ower than hips to help prevent	
Eve: Quick	dv and gently brush particles fror	brush particles from eves. Immediately flush the contaminated eve with		

Obies	On the branch and a second and instantian is continued by the second of instantian share a second these
	medical attention if irritation develops or if particles are lodged in surface of the eye. Take special care if exposed person is wearing contact lenses.
-	gently flowing water until the particles are removed, while holding the eyelid open. Seek
Eye:	Quickly and gently brush particles from eyes. Immediately flush the contaminated eye with

Skin: Gently brush away excess solids. Irritation is unlikely however, if irritation does occur, flush with gently flowing water for 5 minutes or until colour oxide is removed.

#### Inhaled: Not considered applicable, however, if any effects are perceived, move patient to fresh air

Advice to Doctor: Treat symptomatically. If in doubt, consult Poisons Information Centre on 13 11 26.

## NON-FLAMMABLE, NON-COMBUSTIBLE substance

Suitable Extinguishing Media: Presents no known fire or explosive hazards and forms no known hazardous decomposition products. Treat fire for materials actually involved in the fire.

**Special Exposure Hazards (fire fighting):** Sudden reaction with fire may result if product is mixed with an oxidizing agent.

Special Fire Fighting Procedures: No special requirements specific to this product.

6 ACCIDENTAL RELEASE MEASURES			
Personal precautions:	Wear protective clothing, boots, gloves, and eye protection. (refer Section 8.2)		
Methods for Cleaning Up:	Dampen down to prevent spread by wind. Shovel or sweep up spilled material and dispose of or recycle. If recovery is not feasible, admix with dry soil, sand or non-reactive absorbent and place in an appropriate chemical waste container Flush area with water spray.		
	Thoroughly launder protective clothing before storage or re-use. Advise laundry of nature of contamination when sending contaminated clothing to laundry.		
Reference to other sections	See Also Section 8.		
7 HANDLING & STORAGE			
Precautions for safe handling	No special measures necessary provided product is used correctly.		
	Avoid contact with eyes and skin. Avoid generation of dust. Provide adequate ventilation. Emergency shower and eye wash facilities should be readily available. See also Section 8		
Conditions for safe storage, including incompatibilities	Keep only in the original packaging in a cool, dry, well ventilated place. Suitable materials for containers: High density polyethylene (HDPE), Low density polyethylene (LDPE) Avoid contact with strong acids, strong bases, strong oxidizing agents, strong reducing agents See also Section 10.		

## 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters		
SUBSTANCE	Occupational Exposure Limits	
All components	No Occupational Exposure Limits assigned.	
Exposure controls	Wear protective equipment to comply with good occupational hygiene practice. Do not eat, drink or smoke at the work place.	
Appropriate engineering Controls	Conventional airflow is generally considered to be acceptable. Engineering method to prevent or control exposure include process or personnel enclosure, mechanical ventilation (dilution and local exhaust), and control of process conditions.	
Personal Protection:		
Respiratory protection	Respiratory protection not normally required. If engineering controls are not effective in controlling airborne exposure, then an approved respirator or dust mask should be used. Refer Australian Standards AS/NZS 1715 and 1716 for more information.	
Eye/face protection	Safety glasses with top and side shields, goggles or face shield. Refer Australian Standards AS 1336 and AS/NZS 1337 for more information.	
Skin protection	No special protective work wear is required.	
Environmental Exposure Controls	This product is non-reactive in the environment. There is a high probability that the product is not acutely harmful to aquatic organisms.	

9 PHYSICAL & CHEMICAL PROPERTIES			
Appearance:	Fine powdered solid in a variety of colours		
Smell:	No characteristic odour		
pH (10% aqueous solution):	5 - 8		
Boiling Point (@760mm Hg):	Not known		
Melting Point:	> 1000°C		
Flashpoint (°C):	Not applicable		
Flammability:	Non Flammable		
Auto-Ignition Temperature:	Non Flammable		
Explosive Properties:	Airborne dust is not an explosion hazard		
Explosive Limits:	Not applicable		
Oxidizing Properties:	Not applicable		
Vapour Pressure (mm Hg):	Not applicable		
Vapour Density:	Not applicable		
Solubility in Water:	Insoluble		
Solubility in Ethanol:	Insoluble		
Solubility in n-Octanol:	Insoluble		
Solubility in NaOH caustic solutions	Insoluble		
Specific Gravity:	4.0 – 5.3 (depending upon colour)		
Bulk Density:	0.3 – 1.0		
Per cent Volatiles:	< 3% water		
Volatile Organic Compounds:	Nil		
10 STABILITY & REACTIVITY			
Conditions to Avoid:	No data.		
Incompatibility (materials to avoid):	Strong acids.		

Incompatibility (materials to avoid):Strong acids.Hazardous Decomposition Products:No hazardous decomposition products can form.Hazardous Transformation Products:Will not occur.

11 TOXICOLOGICAL INFORMATION		
Acute toxicity Acute Oral Toxicity	Based on available data, the classification of toxicity criteria are not met.	
Acute Inhalation Toxicity	Based on available data, the classification of toxicity criteria are not met.	
Acute Dermal Toxicity	Based on available data, the classification of toxicity criteria are not met.	
Sensitization	Based on available data, not sensitizing.	
Mutagenicity	Based on available data, no evidence of genotoxicity.	
Carcinogenicity	No structural alerts. IARC, NTP, OSHA, ACGIH do not list this product as known or suspected carcinogen.	
Reproductive toxicity	Based on available data, no evidence of reproductive toxicity or developmental toxicity.	
STOT – single exposure	Not classified.	
STOT – repeated exposure	Not classified.	
Aspiration hazard	Not classified.	
Other information	None	

12 ECOLOGICAL INFORMATION		
Ecotoxicity:	No data available. There is a high probability that the product is not acutely harmful to aquatic organisms. No data available.	
Environmental Fate:		
Persistence and degradabil	<b>lity</b> The product has not been tested. Based on the properties of the individual components product is not expected to be acutely harmful to aquatic organisms.	
Bioaccumulation potential	No data available. Discharge into the environment must be avoided.	
Additional information	Other ecotoxicological advice: Do not discharge product into the environment without control. The product has not been tested. The statements on ecotoxicology have been derived from the properties of the individual components.	

13 DISPOSAL CONSIDERATIONS				
Precautions:	Refer to Section 7 before handling the product or containers.			
Waste disposal:	Recover or recycle if possible. Otherwise: dispose of this material and its container to hazardous or special waste collection point. Disposal should be in accordance with local, state or national legislation.			
Product disposal:	Recover or recycle if possible. If not contaminated with other materials, product may be disposed of as general waste or to landfill. Otherwise: dispose of this material and its container to hazardous or special waste collection point. Disposal should be in accordance with local, state or national legislation.			
Container disposal:	Empty and wash container thoroughly. Container (HDPE) may be recycled.			

### 14 TRANSPORT INFORMATION

Not classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land".

Mode	Regulations	Class	Packing Group	Notes
-	UN	None allocated	Not applicable	
Sea	IMDG	None allocated	Not applicable	This material is not classified as dangerous under IMDG regulations
Road/Rail	ADG Code	None allocated	Not applicable	This material is not classified as dangerous according to the Australian Dangerous Goods Code
Air	IATA/ICAO	None allocated	Not applicable	This material is not classified as dangerous under IATA regulations

#### 15 REGULATORY INFORMATION

NON-HAZARDOUS SUBSTANCE, NON-DANGEROUS GOODS GHS Classification:

### Full text of GHS Statements referred to under sections 2 and 3.

None applicable Hazard statements:

Precautionary stateme	ents:	
Prevention	P261	Avoid breathing dust.
	P262	Do not get in eyes, on skin, or on clothing.
	P264	Wash contacted areas thoroughly after handling.
	P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response	P302+335+352 P305+351+338	IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN: Brush off loose particles from skin. Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Storage	P402+404	Store in a dry place. Store in a closed container.
Disposal	P501	Dispose of contents/ container as general waste.

#### EEC Council Directives relating to the classification, packaging and labelling of dangerous substances and preparations Risk (R) and Safety (S) phrases: Risk Statements:

None applicable

Safety Statements:	S24/25 S26	Avoid contact with skin and eyes In case of contact with eyes, rinse immediately with plenty of water and seek medical advice
	S39 S62	Wear eye/face protection. If swallowed, do not induce vomiting; seek medical advice immediately and show this SDS, container or label.

#### OTHER INFORMATION 16

Uses and restrictions:	Pigment blend/mixture for use in the concrete industry.		
SDS distribution:	The information in this document should be made available to all who may handle the product.		
Reference:	The content and format of this safety data sheet is in accordance with the 3rd Revised Edition of the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia's Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals (2011)		
Issue Date:	15 <sup>th</sup> September, 2020		
Reason for Issue:	Supersedes previous issue dated 29 <sup>th</sup> November, 2016 Updated manufacturer and contact details		

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the material are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising from or in any way connected with the handling, storage, use or disposal of the material