

SAFETY DATA SHEET

WET LOOK

concrete sealer

Issued: May 2017

NON-HAZARDOUS according to criteria of Safe Work Australia

		TAKING IDENTIFICATION	
		WET LOOK concrete sealer	
		e and masonry surface treatment. Industrial protective sealer.	
Company: i-Chem F			
ABN:	71 150 6		
Address:		Drive, Epping, Victoria, 3076	
Telephone Number:		9401 3519	
Email:	into@icr	nem.com.au	
2 HAZARDS IDENT			
GHS Classification:		plied is NON-HAZARDOUS according to criteria of Safe Work Australia	
GIG Classification.	1 100001 as sup		
Signal word:	Not applicable		
Hazard statements:	None applicabl	e	
Precautionary statem	ents		
Prevention	P273	Avoid release to the environment	
	P280	Wear protective gloves and eye/face protection	
Descretes			
Response		I IF SWALLOWED: Rinse mouth. Do NOT induce vomiting	
	P302+352	IF ON SKIN: Wash with soap and water	
	P305+351+330	3 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact	
		lenses if present and easy to do – continue rinsing	
Storage	P403+235	Store in a well-ventilated place. Keep cool.	
Disposal	P501	Dispose of contents/ container to an approved waste disposal plant.	
Risk Statements:	R36	Irritating to eyes.	
Safety Statements:	S36/37/39	Wear suitable protective clothing, gloves and eye/face protection.	
2	S62	If swallowed, do not induce vomiting; seek medical advice immediately and	
		show this SDS, container or label.	
Hazard Category:	Non-Hazardous according to criteria of Safe Work Australia		
•••	-		
SUSDP:	Not Scheduled as a Poison		
ADG CLASS:	Not classified as dangerous according to the Australian Dangerous Goods Code		
Signs and Symptoms	of Exposure (A	Acute effects):	
Swallowed:	Irritant. Can ca	ause nausea, vomiting and stomach pain	
Eye:	Contact with a	yes can cause mild irritation and discomfort, and may cause conjunctivitis and	
Lye.		a when absorbed into the tissue of the eye from the atmosphere. Corneal	
		ive rise to a perception of blue haze or fog around lights. This effect is	
		as no known residual effect.	
.			
Skin:	Possible irritant to skin. Absorption through skin may occur. Prolonged and repeated contact may result in skin sensitization and dermatitis.		
Inhaled:	Inhalation risk	unlikely in normal use. May cause, on prolonged inhalation, respiratory	
		ess and nausea.	
Ohnenier	-		
Chronic:		or prolonged exposures may result in: adverse skin effects (de-fatting, rash or	
	allergic reaction	n/sensitization), adverse eye effects (conjunctivitis).	

Product: WET LOOK Sealer

Page 2 of 4

Date of Issue: May, 2017

Dropriotory/		
Proprietary	10–30%	Xi; R36
7732-18-5	> 60%	
Other ingredients below reportable concentrations		Non-hazardous
	7732-18-5	7732-18-5 > 60%

4 FIRST AID MEASURES		
Swallowed:	If swallowed, do NOT induce vomiting, Give a glass of water and contact a doctor or Poisons Information Centre. Telephone 13 11 26 .	
Eye:	Immediately hold eye open and irrigate with water for 15 minutes. If persistent irritation occurs, obtain medical attention and see a Doctor.	
Skin:	Remove any contaminated clothing and product. Wash skin thoroughly with mild soap/water. Seek medical advice if ill effect or irritation develops.	
Inhaled:	Not considered applicable, however, if any effects are perceived, move patient to fresh air.	
First Aid Facilities:	Eyewash fountains and safety showers should be available for emergency use.	
Advice to Doctor:	Treat symptomatically. Dermatitis may result from prolonged or repeated exposure. Aspiration into the lungs may cause chemical pneumonitis.	

5 FIRE FIGHTING MEASURES

Suitable Extinguishing Media: Presents no known fire or explosive hazards and forms no known hazardous decomposition products. Treat fire for materials actually involved in the fire.

Special Exposure Hazards (fire fighting): May generate toxic, irritating or flammable combustion products. Sudden reaction with fire may result if product is mixed with an oxidizing agent. May generate carbon monoxide gas. Personnel in vicinity and downwind should be evacuated.

Special Fire Fighting Procedures: Fire fighters should wear butyl rubber boots, gloves, and body suit and a selfcontained breathing apparatus. Water spray should be used to cool intact drums. Prevent runoff from fire control entering waterways.

HAZCHEM code: Not applicable

6 ACCIDEN	AL RELEASE MEASURES	
Precautions:	No special precautions. Wear protective clothing, boots, gloves, and eye protection.	

Methods for Cleaning Up: If recovery is not feasible, admix with dry soil, sand or non-reactive absorbent and place in an appropriate chemical waste container. Transfer to containers by suction, preparatory for later disposal. Flush area with water spray. Clean up personnel must be equipped with non-absorbent/water repellent protective clothing, boots, gloves, and eye protection.

For large spills, recover spilled material with vacuum truck then clean-up as above.

7 HANDLING & STORAGE		
Handling:	Avoid eye contact and repeated or prolonged skin contact.	
Storage:	Store in a cool, dry, well-ventilated place and out of direct sunlight. Store away from incompatible materials described in Section 10. Keep containers closed when not in use – check regularly for leaks.	

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Standards: No known exposure limits assigned for any component in this material as prescribed by Safe Work Australia or Department of Labour New Zealand.

- Engineering Controls: Natural ventilation should be adequate under normal use conditions. Keep containers closed when not in use.
- **Hand Protection:** Wear impervious gloves if contact with liquid is possible. Viton offers good resistance; other materials may be less suitable. Check with equipment supplier to determine if level of protection is adequate.
- **Eye Protection:** Splash proof eye goggles.

Product: WET LOOK Sealer		Page 3 of 4	Date of Issue: May, 2017
Body Protection:		ng sleeve overall. Check with equip	hemical resistant. If splashes are likely ment supplier to determine if level of
Flammability:	Non-flammable		
9 PHYSICAL & CHE	MICAL PROPERT	IES	
Appearance: Smell: pH Boiling Point (at 760 m Melting Point: Flashpoint: Flammability: Explosive Limits: Auto-ignition Temperate Oxidizing Properties: Vapour Pressure (20°C Vapour Density (Air =1) Evaporation Rate (relat Solubility in Water: Specific Gravity: VOC content:	ure: ;): ;:	Low viscosity, off-white milky liquid Slight odour 8.0 - 9.0 No data ($\approx 100^{\circ}$ C) No data ($\approx 0^{\circ}$ C) Not applicable Not applicable Not applicable Not applicable No data 2.27 kPa < 1 No data Insoluble – disperses in water 1.00 - 1.04 < 5 g/L < 0.5% by weight	3
10 STABILITY & REA			
-	e under normal use	e conditions. May react with oxidizing	g agents.
Conditions to Avoid: Incompatibility (Mater	ials to Avoid):	No data. Oxidizing agents, sodium or calciu Reaction with peroxides may resul	
Hazardous Decompos	sition Products:	Carbon Monoxide, Carbon Dioxide elevated temperatures.	e in a fire. Irritating and toxic fumes at
Hazardous Transform	ation Products:	Will not occur.	
11 TOXICOLOGICAL			
No product toxicologica	I information is ava	ailable:	
Acute Oral Toxicity (L	.D ₅₀):	no data	
Acute Dermal Toxicity	/ (LD ₅₀):	no data	
Acute Inhalation Toxic	city (LC ₅₀):	no data	
12 ECOLOGICAL INF	ORMATION		

Basis for assessment: Ecotoxicological data have not been determined specifically for this product.

Mobility: No data available

Persistence/degradability: No data available

Bioaccumulation: No data available

Other adverse effects: Product can be considered an environmental hazard through improper handling and improper disposal. Otherwise, no known significant effects or critical hazards.

13 DISPOSAL CONSIDERATIONS		
Precautions: Refer to Section 7 before handling the product or containers.		
Waste disposal:	Recover or recycle if possible. Otherwise: Incineration.	
Product disposal:	Recover or recycle if possible. Otherwise: Incineration.	
Container disposal:	Drain container thoroughly and allow to dry. Empty container may be recycled.	
Local legislation:	The recommendations given are considered appropriate for safe disposal. However, local regulations may be more stringent and these must be complied with.	

14 TRANSPORT INFORMATION

Not classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land".

Mode	Regulations	Class	Packaging Group	Notes
-	UN	None allocated	Not applicable	
Sea	IMDG	None allocated	Not applicable	This material is not classified as dangerous under IMDG regulations
Road/Rail	ADG Code	None allocated	Not applicable	This material is not classified as dangerous according to the Australian Dangerous Goods Code
Air	IATA/ICAO	None allocated	Not applicable	This material is not classified as dangerous under IATA regulations

15 REGULATORY INFORMATION

EEC Symbol: Xi Irritant

GHS Classification Product as supplied is NON-HAZARDOUS according to criteria of Safe Work Australia

Full text of H-Statements referred to under sections 2 and 3. None applicable

EEC Council Directives relating to the classification, packaging and labelling of dangerous substances and preparations Risk (R) and Safety (S) phrases:

••	
R36	Irritating to eyes.
S36/37/39	Wear suitable protective clothing, gloves and eye/face protection.
S62	If swallowed, do not induce vomiting; seek medical advice immediately and show this SDS,
	container or label.

16 OTHER INFORMATION

Uses and restrictions:	This product is designed and intended for use as a sealer for concrete and masonry.
SDS distribution:	The information in this document should be made available to all who may handle the product.
Reference:	The content and format of this safety data sheet is in accordance with the 3rd Revised Edition of the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia's Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals (2011)
Issue Date	19 th May, 2017
Reason for Issue	New product – first issue

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the material are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising from or in any way connected with the handling, storage, use or disposal of the material